




















SPRAY GUNS		ACCESORIES
 <p>MOD.840</p>	<p>840</p> <p>Professional Gravity spray gun for all applications.</p> <p>Stainless steel nozzle and needle of high resistance.</p> <p>Nozzle diameter : 1,2; 1,3; 1,5; 1,8; 2; 2,5; 3,5 mm.</p>	<p>Air flow regulator MOD. J-136</p>  <p>Easy connexion Gravity cup MOD. 305</p> 
 <p>MOD. SP-G</p>	<p>SP-G</p> <p>Gravity spray gun appropriate for the projection of mixed materials for decoration in spangle or scale.</p> <p>Plastic deposit of 5 L.</p> <p>Nozzle diameter 16mm.</p>	<p>Air flow regulator MOD. J-136</p> 
 <p>MOD.K-12</p>	<p>K-12</p> <p>Gotelé Spray Gun with 5 L deposit. (2.5 L deposit Also available)</p> <p>Exclusive “Double Air” system that allows to work with continuous or discontinuous air compressor in each case.</p> <p>Nozzle diameter : 4, 5, y 6 mm. (Nozzle for textile only on demand).</p>	<p>Elbow for ceilings MOD. C600</p>  <p>Air flow regulator MOD. J-136</p> 
 <p>MOD.780-G</p>	<p>780-G</p> <p>Spray Gun specially designed for the application of Gotele with a pressure tank.</p> <p>Nozzle diameter: 1, 5; 2; 2, 5; 2, 8; 3, 25 y 4 mm.</p>	<p>Special nozzle for a different finished</p> 
 <p>MOD.250-A</p>	<p>250-A</p> <p>High definition spray gun. Minimum air consumption.</p> <p>Nozzle diameter : 0,8; 1; 1,2; 1,3; 1,4; 1,5; 1,6; 1,8; 2; 2,5 mm.</p>	<p>Air flow regulator MOD. J-136</p>  <p>Easy connexion Gravity cup MOD. 305</p> 

	<p>F-22</p> <p>Spray gun of reduced dimensions indicated for delicate works. Air Consumption: 110 l/min. Nozzle diameter : 0,5; 0,8; 1; 1,2; 1,5 mm.</p>	<p>Air flow regulator <small>MOD.J-136</small></p> 
 <p>!!!NEW!!!</p>	<p>950-M</p> <p>Spray Gun specially designed to cover Gotele with the traditional pressure tank. An economic solution that replace the airless system.</p> <p>New Kamlock system to facilitate the cleaning and maintenance of the equipment .</p>	

MISCELANEOUS

<p><small>MOD.PG-FLEX</small></p> 	<p>PG-FLEX</p> <p>Gun for cleaning machines and engines with a flexible pipe</p>
<p><small>MOD.SP</small></p> 	<p>SP</p> <p>Metal Air blow gun. (Flexible pipe only on demand)</p>
<p><small>MOD.N-39</small></p> 	<p>N-39</p> <p>Inflating gun of high precision.</p>

* COMPRESSOR

MOD.MAR-75



MAR-75

- Oil free continuos air compressor. No manteninance required
- System: Dry valves and pinsions with Teflon segments.
- R.P.M: 1390
- Motor Power: 1 HP; 230 V./50 Hz. **(Monophasic)**.
- Motor Power: 1 HP; 230 V./400 **(Thiphasic)**
- Maximum pressure: 4,5 bar
- Weight:: 17 Kg
- Dimensions: 42x38x18 cm

Triphasic version only on demand

* PRESSURE TANK

MOD.TM-300.E



MOD. TM-300

Pressure tank for high density material such as stucco, gotele...

Capacity 30 L. bottom outlet and funnel included.

Excelent price-quality relation.